REFERENCES

1. Lekha S, Kavita S (2016), Colesevelam Hydrochloride: A novel agent in patients with type 2 diabetes, International Journal of Applied and Basic Medical Research, 1(2)., 113-115.
2. Venkata VV, Gopichand I., Sudhakar RV, Sreeramulu J (2015), Validated UPLC Method for Determination of Unbound Bile Acids In Colesevelam HCl Tablets, Journal of Chromatographic Science, 53., 154-160.
3. James RG III, Michael RJ, Daniel MF, Kenneth ET (2014), Safety and Efficacy of Colesevelam HCl in the Treatment of Elderly Patients, Drugs Aging, 31., 461-470.
4. Swetha P, Ravindra YK, Ravi MC (2014). A validated Ion Chromatography method for determination of Ammonium content in Omeprazole tablets, Indian J. Pharm. Biol. Res, 2(3)., 90-95.
5. Erwin A, Vicky M, Ehab E, Jos H (2013). Improved reversed phase liquid chromatographic method with pulsed electrochemical detection for tobramycin in bulk and pharmaceutical formulation, Journal of Pharmaceutical Analysis, 3(3)., 161-167
6. Venkata VV, Gopichand I, Sreenivas RG, Sudhakar RV, Sreeramulu J (2013). Comparsion of binding parameter constants between sevelamer carbonate tablets and Renvela tablets by a validated ion chromatography method, American Journal of Analytical Chemistry, 4., 213-220.
7. Pavan KKSR, Khagga M, Nageswara RM, John PS, Jagadeesh KV, Narendra KM et al (2012). Simple and Sensitive stability-Indicating Ion Chromatography method for the determination of cyclopropylamine in Nevirapine and Moxifloxacin Hydrochloride drug substances, Sci Pharm, 80., 77-87.
8. Lokesh B, Jeffrey SR (2012), Applications of Ion Chromatography for Pharmaceutical and biological products, John Wiley & Sons, Inc, 132-260.

9. Kumar MN, Kumar KS, Kumar VJ, Prasanna SJ, Sharma HK, Reddy VK (2011), Stability indicating ion chromatography method for the simultaneous determination of ibandronate sodium drug substance and its Impurities, Journal of Pharmaceutical And Biomedical Analysis, 54., 596-601.
10. Kaleemullah T, Mansur A, Hemant KS, Nageswara MR (2011). Sensitive ion chromatographic determination of citrate and formate in pharmaceuticals, Rasayan J. Chem, 4(4)., 844-852.
11. Podolska M, Wanda B, Anna K, Barbara KP, Mazurek A (2011). Determination of Sodium Metabisufite in parental formulations by HPIC with Suppressed conductivity detection, Acta Poloniae pharmaceutica - Drug Research, 68(5)., 637-644.
12. Dennis J (2011). Application of Ion Chromatography in Pharmaceutical and Drug Analysis, Journal of Chromatographic Science, 49., 524-539.
13. Brunetti L, Evelyn RHD (2010), The Role of Colesevelam Hydrochloride in Hypercholesterolemia and Type 2 Diabetes Mellitus, The Annals of Pharmacotherapy, 44., 1196-1206.
14. Lakshmana SP, Suriyaprakash TNK (2010). Impurities and its importance in pharmacy, International Journal of Pharmaceutical Sciences Review and Research, 3(2)., 66-71.
15. Gowrisankar D, Abbulu K, Souri OB, Sujana K (2010). Validation and Calibration of Analytical Instruments, J Biomed Sci and Res, 2(2)., 89-99.
16. Richard K, Jeffery (2010). Determination of Methacholine Chloride and Potential Impurities using a Reagent Free Ion Chromatography System, The Application Note book.
17. Pavan KKSR, Jagadeesh KV, Prasanna SJ, Narendra KM, Raju KVSN, Pradeep R et al. (2010). Determination and Validation of Monomethylamine content by Ion Chromatography method in pharmaceutical drug substances, Der Pharma Chemica, 2(3)., 277-287.
18. Harold B, Peter HJ (2007), Colesevelam hydrochloride: reducing atherosclerotic coronary heart disease risk factors, Vascular Health and risk Management, 3(5)., 733-742.

19. Davidson MH (2007), The use of colesevelam hydrochloride in the treatment of dyslipidemia: a review, Expert Opin. Pharmacother, 8(15)., 2569-2578.
20. Willy RGB, Jin O, Xiaoyin G, Joris RD (2005). Determination of ephedrine and related compounds in pharmaceutical preparations by ion chromatography with direct conductivity detection, Biomedical Chromatography, 19., 266-271.
21. Joachim W (2004), Hand book of Ion Chromatography, Wiley-VCH, 1., 3-400.
22. Rainer S, Wolfgang B, Hans M (2001), Determination of quaternary alkylammonium copmpounds by capillary zone electrophoresis and indirect UV detection as a real alternative to ion chromatography with suppressed conductivity detection, Journal of Chromatography A, 920., 333-344.
23. Werner A, Rainer SF, Wolfgang B (2001), Identification of unknown degradation products in a new cholesterol- reducing drug by ion-chromatography coupled to mass spectrometry, Journal of Chromatography A, 912, 91-98.
24. Aldridge MA, Ito MK (2001), Colesevelam Hydrochloride: A Novel Bile Acid–Binding Resin, The Annals of Pharmacotherapy, 35., 898-907.
25. Alan RJ (2001), Quaternary Ammonium Salts: their use in phase-transfer catalysed reactions, San Diego Academic Press, 159-475.
26. Davidson MH, Dillon MA, Bruce GMD, Peter JMD, Julie SMD, Stuart WMD et al (1999), Colesevelam Hydrochloride (Cholestagel), Arch Intern Med, 159., 1893-1900.
27. Mark L, Jeffrey SR (1999). Determination of Choline in infant Formula by Ion Chromatography, Food Composition and Additives, 82(5)., 1156-1162.
28. Masami S, Reiko E, Akiko K, Fusae M, Koichi O, Hideki T et al (1998), Separation and Determination of quaternary ammonium compound by high-performance liquid chromatography with a hydrophilic polymer column and conductometric detection, Journal of Chromatography A, 830., 321-328.

29. Micheel AP, Ko CY, Guh HY (1998). Ion Chromatography method and validation for the determination of sulphate and sulfamate ions in topiramate drug substance and finished product, 709(1)., 166-172.
30. Cullum DC (1994), Introduction to Surfactant Analysis, Springer-Science + Business Media BV, 30-229.
31. Anthony JW, Gisele W, Jean MT (1992). HPLC Analysis of Quaternary Ammonium surfactants with the Evaporative light scattering detector, 69(7)., 609-610.
32. Williams PA (1990), Recent Development in Ion Exchange: 2, Dordrecht: Springer Netherlands, 18-117.